GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Service - MA&UD Department - Gudur Municipality - V & E Report No.28 - Allegations of irregularities in laying of CC road again on existing good condition road in Gudur Municipality against Sri J.Venkateswarlu, the then Executive Engineer (Retd) and (2) others in Gudur Municipality - Disciplinary proceedings initiated under Rule 20 of the Andhra Pradesh Civil Services (CC & A) Rules, 1991 - Charges framed - Appointment of Sri R. Sreenath Reddy, C.E., Vijayawada Municipal Corporation as Inquiring Authority in terms of Rule 20(2) of A.P.C.S. (CC & A) Rules, 1991 - Orders - Issued.

==========

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.III) DEPARTMENT

G.O.RT.No. 1217 Dated: 04-11-2025

Read the following:-

1. From the GA (V&E) Department, Vigilance Report No: 28(C.No.407/V&E/Engg/2018), dated.31.12.2020.
2. Government Memo No.1357409/Vig.II/2021, dt:05.07.2021.
3. From the ENC (PH), Lr.No.1357409/V&E/E3-CS2/2021, dt:13.01.2023.
4. G.O.Rt.No.154 to 156 and G.O.Ms.No.27 and 28 MA&UD (VIG.III) Dept, Dt.09.03.2023.

*****

ORDER:

Whereas, an inquiry under Rule 20 of the A.P. Civil Services (CC & A) Rules, 1991, is being held against the following Accused Officials in Gudur Municipality on the allegations of irregularities in laying of CC road again on existing good condition road in Gudur Municipality:

(1) Sri J.Venkateswarlu, the then Executive Engineer, (Retd.),
(2) Ms.B.J.V.V.Laxmi, the then Asst., Engineer,
(3) Sri N.Gopal, Dy., Executive Engineer, (Retd.)

2. Whereas, Government after careful examination of the matter, it is considered that an Inquiry Officer should be appointed to inquire into the charges framed against above charged officers.

3. Now, therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CC & A) Rules, 1991, the disciplinary authority hereby appoint Sri R. Sreenath Reddy, C.E., Vijayawada Municipal Corporation as Inquiry Authority to inquire into charges framed against the above charged officers.

4. The Inquiry Authority shall conduct the inquiry as per A.P.C.S. (CC&A) Rules, 1991 and submit his inquiry report to Government within a period of three months.

5. The Engineer-in-Chief A.P., Tadepalli, shall provide the required material such as Article of Charges, explanation of the Charged Officers etc., to the Inquiry Officer.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S. SURESH KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri R. Sreenath Reddy, C.E., Vijayawada Municipal Corporation & Inquiring Authority **through** the EnC (PH), A.P., Tadepalli

All the Charged Officers **through** the EnC (PH), A.P., Tadepalli.

The Engineer-in-Chief A.P., Tadepalli

Copy to:

The RDMA, Guntur.
The Commissioner, Gudur Municipality.
Sf/Sc (E 1357409).

// FORWARDED :: BY ORDER //

SECTION OFFICER